



Indiana State
Department of Health

**INDIANA STATE DEPARTMENT OF HEALTH
IMMUNIZATIONS DIVISION
APRIL 13, 2016**

Contents:

**Vaccine List
Trade Name-to-CHIRP Shortcuts
Combination Vaccines
Influenza Vaccines
Discontinued Vaccines
Common Vaccines Given Outside the U.S.**

Vaccine Brand Name (Year licensed by FDA)	Vaccine Generic Name	CHIRP Abbreviation Or Name	Manu-Factorer	Chirp Manufact. Abbrev	Age Group Licensed or Within ACIP guidelines To Receive Vaccine	Admin. Route	Comments
DIPHTHERIA, TETANUS, AND PERTUSSIS VACCINES							
Daptacel (2002)	DTaP (Diphtheria, Tetanus, acellular Pertussis)	DTAP	Aventis Pasteur-sanofi pasteur (SP)	PMC	6 weeks-6 years	IM	Cannot be used on or after 7 th birthday, but if given, dose can be counted. Not licensed for 5 th dose.
Infanrix (1997)	DTaP	DTAP	Glaxo Smith Kline (GSK)	SKB	6 weeks-6 years	IM	Cannot be used on or after 7 th birthday, but if given, dose can be counted.
DT (1984)	Diphtheria and tetanus Toxoids absorbed	DT (Pediatric)	SP	PMC	6 weeks – 6 years	IM	Pediatric formulation. Used if a child is allergic to pertussis vaccine.
DTaP , brand unknown, historical data entry	DTaP	DTaP- unspecified					
DTP (various brands) <i>Will be historical entry</i>	<i>DTP (Diphtheria, Tetanus, whole-cell Pertussis)</i>	<i>DTP</i>				<i>IM</i>	<i>NO LONGER LICENSED (see Discontinued Vaccines page)</i>
Historical data entry: unable to determine if DTP or DTaP, given between 1991-1997	unspecified	DTP-unspecified			6 weeks-6 years		Would have been given during transitional years of 1991-1997
Pediarix	See Combination Vaccines page						
Kinrix	See Combination Vaccines page						
Pentacel	See Combination Vaccines page						
TriHibit	See Combination Vaccines page						
Td (generic) (1970)	Td (Tetanus and diphtheria toxoids adsorbed)	Td (Adult)	Mass. Biological Lab		7 years and older	IM	Used if tetanus indicated for ages 7-9 years; used as tetanus booster for all ages every 10 years; used for wound management if indicated within 5 years of last tetanus vaccine
Tetanus Toxoid, historical entry (1978)	TT	Tetanus Toxoids, NOS	SP	PMC	7 years and older	IM	Single antigen tetanus vaccine Given only if allergic to diphtheria toxoid.

Vaccine Brand Name (Year licensed by FDA)	Vaccine Generic Name	CHIRP Abbreviation Or Name	Manu-Factorer	Chirp Manufact. Abbrev	Age Group Licensed or Within ACIP guidelines To Receive Vaccine	Admin. Route	Comments
<i>Diphtheria Toxoid</i>	<i>Diphtheria (D)</i>	<i>Diphtheria Toxoid</i>					<i>Not available.</i>
Boostrix (2005)	Tdap (Tetanus, diphtheria, acellular pertussis)	Tdap	GSK	SKB	10+ years	IM	Recommended for persons 11-18 years and adults 19-64 years who have not received Tdap. Also licensed recommended for adults 65+ who have close contact with infant < 12 months
Adacel (2005)	Tdap	Tdap	SP	PMC	10 - 64 years	IM	Recommended for persons 11-18 years and adults 19-64 years who have not received Tdap. Also recommended for adults 65+ who have close contact with infant < 12 months (off-label)
Tenivac (2003)	Td	Td (Adult) preservative free	SP		7 years and older	IM	7 years and older
HAEMOPHILUS INFLUENZAE TYPE B (HIB) VACCINES							
ActHib (1993)	Hib (PRP-T)	Hib-PRP-T	SP	PMC	6 weeks – 59 months	IM	4 dose series (includes booster dose). Children starting late may not receive all doses.
Pedvax-Hib (1989)	Hib (PRP-OMP)	Hib-PRP-OMP	Merck	MSD	6 weeks – 59 months	IM	3 dose series (includes booster dose). Children starting late may not receive all doses. Any combination (or unknown type) of Hib vaccine =must have 4 doses.
Hiberix (2009)	Hib (PRP-T)	Hib-PRP-T	GSK	SKB	15 mos-4 yrs (may be given at 12 mos if other requirements met and booster dose indicated)	IM	Booster dose ONLY, must have one prior dose of Hib vaccine and must be last dose.
Pentacel	See Combination Vaccines page						
Comvax	See Combination Vaccines page						
Menhibrix	See Combination Vaccines page						
TriHibit	See Combination Vaccines page						
ProHIBit	<i>Hib (PRP-D)</i>	<i>Hib-PRP-D</i>	<i>Pasteur-Merieux</i>	<i>INACTIVE</i>		<i>IM</i>	<i>DISCONTINUED (see discontinued vaccines page)</i>
Historical data entry: Hib		Hib-Unspecified					

Vaccine Brand Name (Year licensed by FDA)	Vaccine Generic Name	CHIRP Abbreviation Or Name	Manu-Factorer	Chirp Manufact. Abbrev	Age Group Licensed or Within ACIP guidelines To Receive Vaccine	Admin. Route	Comments
HEPATITIS A VACCINES							
Havrix (1995) (Pediatric/Adol.)	Hepatitis A	HepA 2dose-Ped/Adol	GSK	SKB	1-18 years	IM	2 doses, 6 months apart Dose = 0.5 ml
Havrix (Adult)	Hepatitis A	HepA 2dose-Adult	GSK	SKB	19 years and older	IM	2 doses, 6 months apart. Dose = 1.0 ml
Vaqta (1996) (Pediatric/Adol.)	Hepatitis A	Hep A 2 dose-Ped/Adol	Merck	MSD	1-18 years	IM	2 doses, 6-18 months apart Dose = 0.5 ml
Vaqta (Adult)	Hepatitis A	HepA 2dose-Adult	Merck	MSD	19 years and older	IM	2 doses, 6-12 months apart. Dose = 1.0 ml
Historical Data Entry: Hep A Vaccine type unknown	Hepatitis A	Hep A- unspecified				IM	
Twinrix (2001)	See Combination Vaccines page						
HEPATITIS B VACCINES							
Engerix-B (1989) (Pediatric/Adol.)	Hepatitis B	Hepatitis B-- adol. or pediatric	GSK	SKB	Birth through 19 years	IM	3 dose series. Do not restart series. Observe minimum ages & intervals. Do not give gluteal.
Engerix-B (Adult)	Hepatitis B	Hep B Adult	GSK	SKB	20 years and older	IM	3 dose series. Do not restart series. Do not give gluteal. Vaccinate adults 19-64 diagnosed with diabetes
Recombivax HB (1986) (Pediatric/Adolescent)	Hepatitis B	Hepatitis B-- adol. or pediatric	Merck	MSD	Birth through 19 years	IM	3 dose series. Do not restart series. Observe minimum ages & intervals. Do not give gluteal. 2 pediatric doses may be substituted for one adult dose.
Recombivax HB (2-dose) for age 11-15 years (1999)	Hepatitis B	HepB 2 dose-Adol/Adult	Merck	MSD	Ages 11-15 years ONLY	IM	2 doses given 4-6 months apart will complete series with this vaccine. Do not give gluteal.
Recombivax HB (Adults)	Hepatitis B	HepB Adult	Merck	MSD	20 years and older	IM	3 dose series. Do not restart series. Do not give gluteal. Vaccinate adults 19-64 diagnosed with diabetes
Pediarix	See Combination Vaccines page						
Comvax	See Combination Vaccines page						
Twinrix	See Combination Vaccines page						

Vaccine Brand Name (Year licensed by FDA)	Vaccine Generic Name	CHIRP Abbreviation Or Name	Manu-Factorer	Chirp Manufact. Abbrev	Age Group Licensed or Within ACIP guidelines To Receive Vaccine	Admin. Route	Comments
Atypical dosage based on patient's health history, i.e. dialysis	Hepatitis B	Note that there are choices on various dosages in Chirp (dialysis, High risk)				IM	
Historical data entry: vaccine type unknown	Hepatitis B	Hep B- unspecified				IM	
HUMAN PAPILLOMAVIRUS VACCINES							
Gardasil 9 (2014)	HPV	HPV9-valent vaccine	Merck	MSD	9-26 years, females 11-26 years, males	IM	3 dose series. Observe minimum ages and intervals.
Gardasil (2006)	HPV	HPV, quadrivalent	Merck	MSD	9-26 years, females *9-26 years, males	IM	3 dose series. Observe minimum ages and intervals
Cervarix (2009)	HPV	HPV, bivalent	GSK	SKB	*9-26 years, females only	IM	3 dose series. Observe minimum ages and intervals
MEASLES, MUMPS, AND RUBELLA							
MMR-II (1971)	MMR Measles, mumps, rubella	MMR	Merck	MSD	1 year and older	SC	2 dose series given at 12-15 mos. & at 4-6 years of age. Doses must be separated by at least 4 weeks.
ProQuad (2005)	MMR/Varicella		See Combination Vaccines page				
POLIO VACCINES							
IPOL (1990)	IPV (Polio)	IPV	SP	PMC	6 weeks – 18 years *As of 8/2009, last dose should be admin at age ≥4yr, with minimum of 6 mos between last two doses	IM or SC	Adults with no history or vaccination or travelers to foreign countries may need IPV series. 4 th dose after 4 years and 6 month interval required grades K-3 for 2013-2014 school year
*Minimum ages and intervals should not be used for vaccine administration in first 6 mos of life unless at imminent risk of exposure to polio.							
Kinrix	See Combination Vaccines page						
Pentacel	See Combination Vaccines page						

Vaccine Brand Name (Year licensed by FDA)	Vaccine Generic Name	CHIRP Abbreviation Or Name	Manu-Factorer	Chirp Manufact. Abbrev	Age Group Licensed or Within ACIP guidelines To Receive Vaccine	Admin. Route	Comments
Pediarix	See Combination Vaccines page						
Historical data entry: vaccine type unknown, given prior to year 2000	Polio	Polio-Unspecified					
MENINGOCOCCAL VACCINES							
Menomune (1981)	Meningococcal polysaccharide (MPSV4)	Meningococcal (MPSV4)	SP	PMC	2 years and older	SC	Revaccinate every 3-5 years if at risk. Conjugate vaccine recommended for individuals < 55 years
Menactra (2005)	Meningococcal conjugate (MCV4)	Mening MCV4P	SP	PMC	9 months - 55 years	IM	Routinely recommended for children 11-12 years of age with booster dose at 16 years of age
	6/2009: Children through age 18 years who received their first dose of MCV4 or MPSV4 at ages 2-6 years and remain at increased risk for meningococcal disease should receive an additional dose of MCV4 at 3 years after their first dose. Children through age 18 years who received a dose of MCV4 or MPSV4 after age 6 and remain at increased risk for meningococcal disease should receive an additional dose of MCV4 at 5 years after their previous dose.						
Menveo (2010)	Meningococcal conjugate (MCV4)	Mening MCV4O	Novartis		2 months-55 years	IM	Routinely recommended for children 11-12 years of age with booster dose at 16 years of age
Bexsero (2015)	Meningococcal Serogroup B	Meningococcal B, OMV	GSK	SKB	10 years and older	IM	Category B recommendation for 16-23 year olds 2 dose series
Trumemba (2014)	Meningococcal Serogroup B	Meningococcal B, recombinant	Pfizer	WAL	10 years and older	IM	Category B recommendation for 16-23 year olds 3 dose series
Menhibrix (2012)	See Combination Vaccines page						
Menjugate (Novartis), Meningitec (Pfizer) NeisVac-C (GSK)	Men- C , MCC	Meningococcal C conjugate					Not licensed in US, would be administered in other country. 2 doses.
Historical data entry: vaccine type unknown	Meningococcal	Meningococcal NOS					Does not count towards school requirement. Use only when unable to determine if MCV4 or MPSV4 was administered
PNEUMOCOCCAL VACCINES							

Vaccine Brand Name (Year licensed by FDA)	Vaccine Generic Name	CHIRP Abbreviation Or Name	Manu-Factorer	Chirp Manufact. Abbrev	Age Group Licensed or Within ACIP guidelines To Receive Vaccine	Admin. Route	Comments
Prevnar (2000)	Pneumococcal conjugate (PCV7)	Pneumococcal (PCV7)	<i>Pfizer</i>	WAL			<i>Discontinued 2010</i>
Prevnar 13 (2010)	Pneumococcal conjugate (PCV13)	Pneumococcal (PCV13)	Pfizer	WAL	6 weeks – 64 years (ACIP vote August 2014 to offer <i>routinely</i> in adults 65+)	IM	4 dose series, if child is behind may not receive all doses of vaccine. Recommend single supplemental dose for children ages 14-59 months who received only PCV7 vaccine. Adults at high-risk for IPD should receive dose of PCV13 followed by recommended doses of PPSV23
Pneumovax23 (1977)	Pneumococcal polysaccharide or polyvalent vaccine (PPSV)	Pneumococcal (PPSV)	Merck	MSD	2 years and older	SC or IM	Recommendation is for adults age 65 and older: 1 dose. Second dose if given before age 65 years. (continued...)_ Given age 2 yrs and older if high risk condition. (See Pink Book.)
Historical Data Entry: vaccine type unknown	Pneumococcal	Pneumococcal-unspecified					
ROTAVIRUS VACCINES							
Rotateq (2006)	Rotavirus, live, oral vaccine (RV5)	Rotavirus-pentavalent	Merck	MSD	6-32 weeks	oral	3 dose series; complete series by 8 months, 0 days.
Rotarix (2008)	Rotavirus live, oral vaccine (RV1)	Rotavirus-monovalent	GSK	SKB	6-24 weeks	oral	2 dose series; complete series by 8 months, 0 days.
Historical Data Entry: vaccine type unknown	Rotavirus	Rotavirus NOS					
VARICELLA/ZOSTER VACCINES							
Varivax (1995)	Varicella vaccine (VZV)	Varicella	Merck	MSD	1 year and older	SC	2 doses recommended, Ages 12 month-12 years, doses separated by 3 months Ages 13 and older: doses separated by 4 weeks.

Vaccine Brand Name (Year licensed by FDA)	Vaccine Generic Name	CHIRP Abbreviation Or Name	Manu-Factorer	Chirp Manufact. Abbrev	Age Group Licensed or Within ACIP guidelines To Receive Vaccine	Admin. Route	Comments
ProQuad (2005)	MMR/Varicella		See Combination Vaccines page				
Zostavax (2006)	Zoster	Zoster, live	Merck	MSD	60 years and older	SC	1 dose.
COMBINATION VACCINES							
Comvax (1996) <i>Discontinued 12/2014</i>	Hepatitis B pediatric + Pedvax-Hib	HepB/Hib	Merck	MSD	6 weeks – 71 months (generally not given after age 5 years)	IM	3 dose series given at 2, 4 months & 12-15 months.
MMR-II (1978)	Measles, Mumps and Rubella	MMR	Merck	MSD	1 year and older	SC	2 dose series given at 12-15 mos. & at 4-6 years of age.
ProQuad (2005)	Measles, Mumps, Rubella <i>and</i> Varicella	MMR/Varicella	Merck	MSD	1 year and older	SC	2 doses. Ages 12 month-12 years, doses separated by 3 months.
Pediarix (2002)	DTaP + HepB + IPV (Infanrix, Engerix-B, IPV)	DTaP/HepB/IPV	GSK	SKB	6 weeks through 6 years	IM	Licensed for Primary series only: first three doses of DTaP and IPV. Note minimum intervals for Hep B component.
Kinrix (2008)	DTaP + IPV	DTaP/IPV	GSK	SKB	4-6 years	IM	Licensed for 4 th dose of IPV and 5 th dose of DTaP only.
Menhibrax (2012)	Mening + Hib	Meningococcal C/Y-HIB PRP	GSK	SKB	2, 4, 6 & 12-15 months. Administer 4 th dose through 18 months	IM	Protection against serogroups C & Y <i>N. meningitides</i> . <i>Haemophilus influenzae type B</i> .
01/13: ACIP Recommendation – children 2-18 months who are at increased risk for meningococcal disease should receive four doses of Menhibrax at 2, 4, 6 and 12-15 months of age starting at 2 months (through 18 months).							
Pentacel (2008)	DTaP + IPV + Hib (Daptacel + IPV + ActHib)	DTaP/IPV/Hib	SP	PMC	6 weeks – 4 years	IM	4 doses at 2-4-6- and 15-18 months.
Twinrix (2001)	Hepatitis B adult + Hepatitis A pediatric	HepA/HepB	GSK	SKB	18 years and older	IM	3 dose series. Also approved for 4-dose accelerated schedule.
INFLUENZA VACCINES							

Vaccine Brand Name (Year licensed by FDA)	Vaccine Generic Name	CHIRP Abbreviation Or Name	Manu-Factorer	Chirp Manufact. Abbrev	Age Group Licensed or Within ACIP guidelines To Receive Vaccine	Admin. Route	Comments
Fluzone	Trivalent Influenza vaccine (IIV3)	Influ 6 – 35 mos and up w/thimerosal	SP	PMC	6 months and older	IM	Dose = 0.25 mL (6-35 mos); 0.5 mL (36 mos + up) 5.0 mL Multi-dose vial Contains preservative
Fluzone PF***	Trivalent Influenza vaccine (IIV3)	Influenza, injectable, preservative free	SP	PMC	3 years and older	IM	Dose = 0.5 mL Preservative free Prefilled syringe/Single-dose vial
Fluzone Quadrivalent PF	Quadrivalent Influenza Vaccine (IIV4)	Influenza injectable, quadrivalent, preservative free	SP	PMC	3 years and older	IM	Dose = 0.5 mL Preservative free Prefilled syringe/Single-dose vial
Fluzone Quadrivalent PF	Quadrivalent Influenza Vaccine (IIV4)	Influenza injectable 6-35 mos, quadrivalent, preservative free pediatric	SP	PMC	6 - 35 months	IM	Dose = 0.25 mL Preservative free Prefilled syringe
Fluzone Quadrivalent	Quadrivalent Influenza Vaccine (IIV4)	Influenza injectable, quadrivalent	SP	PMC	6 months and older	IM	Dose = 0.25 mL (6-35 mos); 0.5 mL (36 mos + up) 5.0 mL Multi-dose vial Contains preservative
Fluzone High-Dose	Trivalent Influenza Vaccine (IIV3)	Influenza, high-dose seasonal	SP	PMC	65 years and older	IM	Dose = 0.5 mL Preservative free Single-dose syringe
Fluzone Intradermal	Trivalent Influenza Vaccine (IIV3)	Influenza Intradermal, Preserv free	SP	PMC	18 through 64 years	ID	0.1 mL single-dose microinjection
Flucelvax (2012)	Trivalent Influenza Vaccine (cIIV3)	Influ, inj, MDCK, pres free, 18+	SP	PMC	18 years & older	IM	Dose = 0.5 mL Preservative free Single-dose syringe

Vaccine Brand Name (Year licensed by FDA)	Vaccine Generic Name	CHIRP Abbreviation Or Name	Manu-Factorer	Chirp Manufact. Abbrev	Age Group Licensed or Within ACIP guidelines To Receive Vaccine	Admin. Route	Comments
FluBlok (2013)	Trivalent Influenza Vaccine (RIV3)	Influ recombinant (RIV3), inj, 18+ yrs pres free	SP	PMC	18-49 Years	IM	Influenza, seasonal, injectable
Afluria	Trivalent influenza vaccine (IIV3)	Influenza, seasonal, injectable	CSL	CSL	9 years and older	IM	Dose = 0.5 mL 5.0 mL multi-dose vial
Afluria PF	Trivalent influenza vaccine (IIV3)	Influenza, injectable, preservative free	CSL	CSL	9 years and older	IM	0.5 mL single-dose syringe Preservative free
Fluarix*** PF	Trivalent Influenza vaccine (IIV3)	Influenza, injectable, Pres Free	GSK	SKB	3 years and older	IM	Dose = 0.5 mL Preservative free Single-dose syringe
Fluarix Quadrivalent	Quadrivalent Influenza vaccine (IIV4)	Influenza, injectable, quadrivalent preservative free	GSK	SKB	3 years and older	IM	Dose = 0.5 mL Preservative free Single-dose syringe
FluLaval	Trivalent Influenza vaccine (IIV3)	Influenza, seasonal, injectable	ID Biomedical	SKB	3 years and older	IM	Dose = 0.5 mL 5.0 mL multi-dose vial
FluLaval Quadrivalent	Quadrivalent Influenza Vaccine (IIV4)	Influenza, injectable, quadrivalent	GSK	SKB	3 years and older	IM	Dose = 0.5 mL 5.0 mL Multi-dose vial
FluLaval Quadrivalent PF	Quadrivalent Influenza Vaccine (IIV4)	Influenza, injectable, quadrivalent, preservative free	GSK	SKB	3 years and older	IM	Dose = 0.5 mL Preservative free Single-dose syringe
Fluvirin**	Trivalent Influenza vaccine (IIV3)	Influenza, seasonal, injectable	Novartis	NOV	4 years and older	IM	Dose = 0.5ml Multi-dose vial
Fluvirin PF**	Trivalent Influenza vaccine (IIV3)	Influenza, injectable, Pres Free	Novartis	NOV	4 years and older	IM	Dose = 0.5ml Single-dose syringe Preservative free

Vaccine Brand Name (Year licensed by FDA)	Vaccine Generic Name	CHIRP Abbreviation Or Name	Manu-Factorer	Chirp Manufact. Abbrev	Age Group Licensed or Within ACIP guidelines To Receive Vaccine	Admin. Route	Comments
FluMist Quadrivalent	Live Attenuated Influenza vaccine (LAIV4)	Influenza nasal spray, quadrivalent	MedImmune	MED	Ages 2 years – 49 years	Intra-nasal	Dose = 0.1ml per nostril Must be healthy, non- pregnant. Do not give to persons with asthma or wheezing
Historical Data Entry: vaccine type unknown	Influenza	Influenza unspecified					

SEASONAL INFLUENZA VACCINES: IMPORTANT INFORMATION

Seasonal Influenza Vaccine: Children 6 months through 8 years who have received fewer than 2 doses of seasonal influenza vaccine since July 2010 should receive 2 doses of influenza vaccine at least 4 weeks apart. Children who received at least 1 dose during the 2013-0214 influenza season will only need 1 dose during the 2014-2015 season.

**Influ Inact 48+ mos pres free and Influ Inact 48+ mos w/Thimerosal are other CHIRP codes which may be used for the trivalent Fluvirin® vaccine

***Influ 36+ mos pres free is another CHIRP code that can be used with the trivalent Fluarix® and Fluzone® vaccine in the single-dose syringe presentation

DISCONTINUED VACCINES

Vaccine Brand Name	Vaccine Generic Name	CHIRP Abbreviation Or Name	Manufacturer	Years of Use	Comments
Acel-Immune	DTaP	DTaP	Pfizer (WLV)	1991-2000	
Attenuvax	Measles (live)	Measles	Merck		
bCAPSA 1	Hib (polysaccharide)			1985-1989	
Biavax II	Mumps + Rubella	Rubella/mumps	Merck		12 months and older
Cendevax	Rubella (live)	rubella		1969-79	
Certiva	DTaP		NAV/ALI	1998-2000	
Decavac	Td	AdultTd- Preserv. Free	SP	1953-2012	
Dip-Pert-Tet	DTP (Diphtheria, Tetanus, whole-cell Pertussis)	DTP		Prior to 1997	
Ditanrix	Td				
Ecolarix	Rubella (live) + measles	M/R		NA	
GENHEVAC B PASTEUR	Hep B				
Heptavax-B	Hepatitis B (plasma derived)			1981-1990	
Hexavac	DTaP + Polio + Hep B + Hib				
Hiberix	Hib				
Hib-Immune	Hib polysaccharide			1985-1989	
HibTiter	Hib (Hboc)	Hib-Hboc	Pfizer	1990-2007	
HibVax	Hib (polysaccharide)			1985-1989	
Influenza A (H1N1) 2009 monovalent	Influenza	Novel H1N1, live virus for nasal administration	MedImmune	2009 - 2010	2-49 years
Influenza A (H1N1) 2009 monovalent	Influenza	Novel H1N1, multi-dose with thimerosal	CSL	2009 - 2010	3 years and older
Influenza A (H1N1) 2009 monovalent	Influenza	Novel H1N1, multi	SP	2009 - 2010	6 months and older
Influenza A (H1N1) 2009 monovalent	Influenza	Novel H1N1, multi	ID Biomedical/GSK	2009 - 2010	18 years and older
Influenza A (H1N1) 2009 monovalent	Influenza	Novel H1N1, multi	Novartis	2009 - 2010	4 years and older
Influenza A (H1N1) 2009 monovalent	Influenza	Novel H1N1, all formulations		2009 - 2010	

Influenza A (H1N1) 2009 monovalent	Influenza	Novel H1N1, single dose	Novartis	2009 -2010	4 years and older
Vaccine Brand Name	Vaccine Generic Name	CHIRP Abbreviation Or Name	Manufacturer	Years of Use	Comments
Influenza A (H1N1) 2009 monovalent	Influenza	Novel H1N1, single dose	SP	2009 - 2010	36 months and older
Influenza A (H1N1) 2009 monovalent	Influenza	Novel H1N1, single dose	CSL	2009 - 2010	36 months and older
Influenza A (H1N1) 2009 monovalent	Influenza	Novel H1N1, .25 single dose w/out thimerosal	SP	2009 - 2010	6-35 months
M-Vac	Measles	measles		1963-79	
M-M-Vax	Measles + mumps			1973	
MeruVaxII	Rubella (live)	Rubella	Merck	1969-79	
Mumpsvox	Mumps (live)	Mumps	Merck		
OmniHib	Hib (PRP-T)	Hib-PRP-T	GSK		
Orimune	Polio (live, oral)	OPV	Lederle	1961-2000	
Pentacoq	DTP* + Polio + Hib				
Pfizer-Vax Measles-K	Measles (inactivated)			1963-1968	
Pfizer-Vax Measles-L	Measles live			1965-1970	
Pnu-Immune23	Pneumococcal vaccine	Pneumococcal(PPV23)		1979-	<i>DISCONTINUED</i>
Poliovox	Polio (inactivated)		SP	1988-91	
ProHIBit	Hib (PRP-D)	Hib-PRP-D	Pasteur-Merieux	1987-2000	Was a booster dose only
Pprevnar 7	PCV7	PCV7	Pfizer	2000-2011	Replaced by PCV13
Purogenated	DT (pediatric)				
Quadrigen	DTP-Polio			1959-1968	
Rotashield	Rotavirus, RV	Rotavirus tetravalent	WLV	1998-1999	
Rubelogen	Rubella (live)			1969-1972	
Rubeovax	Measles (live)			1963-1971	
Solgen	DTP*	DTP	Lederle	1962-77	
Tetracoq	DTP* + polio				
Tetramune	DTP* + Hib		Lederle		
Tridipigen,	DTP	DTP		Prior to 1997	
TriHibit	DTaP + ActHib +	DtAp/Hib	SP	1996-2011	
Tri-Immunol,	DTP	DTP	Lederle	Prior to 1997	

Trinivac	DTP*	DTP		1952-64	
Tripacel	DTaP	DTaP	SP	1992-2011	<i>Discontinued</i>
Tripedia	DTaP	DTaP			
Tritanrix	DTP* + Hep B		GSK		
Trivivac		DTP		Prior to 1997	
Vaccine Brand Name	Vaccine Generic Name	CHIRP Abbreviation Or Name	Manufacturer	Years of Use	Comments
Attenuvax* monovalent	measles	measles	Merck	1963-2009	*No longer available as monovalent vaccine, still used in M-M-R II.
MumpsVax* monovalent	mumps	mumps	Merck	1967-2009	*No longer available as monovalent vaccine, still used in M-M-R II. 2 doses are now required in Indiana
MeruVaxII* monovalent	rubella	rubella	Merck	1969-2009	*No longer available as monovalent vaccine, still used in M-M-R II. 1 dose required

*DTP = DTwP

Additional discontinued vaccine information can be found at:

http://www.cdc.gov/vaccines/pubs/pinkbook/downloads/appendices/B/discontinued_vaccines.pdf

COMMON VACCINES GIVEN OUTSIDE THE US

Vaccine Abbreviation / Name	What It means
SABIN Imovax Polio	Mexico: Polio virus vaccine Canada: Polio vaccine
Triple	Mexico: DTP (pertussis, difteria, tetano)
Td-IPV	UK: given to 13-18 yr olds
Tripacel	Canada: DTP
Guadruple	Mexico: DTP & Hib
Penta	Canada: DTP + Hib
Quadracel	Canada: DTaP + IPV
Pentavalente	Mexico: DTP + Hep B + Hib
Pentavac	Outside US: DTaP + Hib + IPV
Pentacoq	Outside US: DTP + Hib + IPV
Guadracel	Outside US: DTaP + IPV
Priorix	Canada: MMR (measles, mumps, rubella)
Triple Viral (SRP)	Mexico: Sarampion, rubeola, parotiditis oc paperas (MMR)
SR	Mexico: Sarampion, rubeola (measles & rubella only)
Antisarampion	Mexico: Measles only
Antihepatitis B	Mexico: Hepatitis B vaccine
Varivax II Varilrix	Canada: varicella vaccine
Varicela	Mexico: varicella vaccine
Avaxim Epaxal Berna	Canada: Hepatitis A vaccine
Twinrix Jr	Canada and Outside US: Hep A + Hep B vaccine (pediatric)
Group A & C Mencevax AC	Canada: Meningococcal polysaccharide vaccine
Menjugate Neis Vac-C	Canada: meningococcal conjugate vaccine
Antineumococica Conjugada (7 serotipos)	Mexico: pneumococcal conjugate vaccine (PCV7)
Pnu-Immune 23	Canada: Pneumococcal polysaccharide vaccine (PPV23)

Additional foreign language vaccine product information can be found at

<http://www.cdc.gov/vaccines/pubs/pinkbook/downloads/appendices/B/foreign-products-tables.pdf>